

가?

-
-
-
-
-
-

)


(

가?

• (筋骨格系) ?

— , , , , , 가

·



?

114

가

・ (筋骨格系) ()

・ ()

・ (累積 外傷性)
 , VDT ()

・ “ ” ()



• (NIOSH)

(1) 1, _____

(2) , , , ,
(, ,)
, ,)
,

(3)
,
.





G. 지난 1년 동안의 근골격계 증상에 대한 질문입니다.

각 부위별로 따로따로 해당되는 번호에 표시해 주십시오.

부 위	목	어깨	팔 팔꿈치	손가락 손목	등 허리	무릎 다리
1. 통증, 찌시거나, 저림, 뻣뻣함, 화끈거림, 감각마비를 느낀 적이 있습니까?	①예 ②아니오	①예 ②아니오	①예 ②아니오	①예 ②아니오	①예 ②아니오	①예 ②아니오

‘예’라고 대답한 해당 항목에만 답하여 주십시오.

2. 어느 쪽입니까?		①오른쪽 ②왼쪽 ③모두	①오른쪽 ②왼쪽 ③모두	①오른쪽 ②왼쪽 ③모두		①오른쪽 ②왼쪽 ③모두
3. 증상이 얼마나 자주 나타납니까? ①항상 ②1주일에 1회 정도 ③한 달에 1회 정도 ④두 달 이상에 1회 정도	① ② ③ ④	① ② ③ ④	① ② ③ ④	① ② ③ ④	① ② ③ ④	① ② ③ ④
4. 증상이 얼마나 지속됩니까? ①1주 이내 ②1주 - 1개월 ③1개월 - 6개월 ④6개월 이상	① ② ③ ④	① ② ③ ④	① ② ③ ④	① ② ③ ④	① ② ③ ④	① ② ③ ④
5. 증상이 어느 정도 심합니까? ①전혀 심하지 않다 ②약간 심하다 ③중간 정도로 심하다 ④심하다 ⑤매우 심하다	① ② ③ ④ ⑤	① ② ③ ④ ⑤	① ② ③ ④ ⑤	① ② ③ ④ ⑤	① ② ③ ④ ⑤	① ② ③ ④ ⑤
6. 증상이 직업과 관계가 있다고 생각하십니까? ①있다 ②없다 ③모르겠다	① ② ③	① ② ③	① ② ③	① ② ③	① ② ③	① ② ③



•

1



,



2



,



3



가



1)

,

-

()



-

-

()

-

()



2)

- ()

- ()

-

- (,)



3)

-



-

-

-

가

,



A ganglion located on the dorsum of the wrist may originate from the wrist joint.

4)

-

-

-



-

,

()

,

()




가



가?

()



최근 5년 간 전 산업 근골격계질환자 발생현황

연도	총업무상질병자 수	근골격계질환자		
		신체부담작업	요통	계
1999	2,732	161	183	344
2000	4,051	487	522	1,009
2001	5,653	768	866	1,634
2002	5,417	1,167	660	1,827
2003.9	6,171	2,150	654	2,804

●

- / / / / /

●

- , ,

- : ,

,

- :

- : 1/3

, 2/3

75%

가 (Snook, 1978)

•

-

/

/

6

/

/

/

-

6

.

•

(

)

-

,

,

가?

1. 가

2.

3.

-

가
가

.

.

-

,

.

)

(

,

,

.